

# **LANDSPIDER**

**ANYTIME EVERYWHERE**



**LANDSPIDER**  **TIRE INC**

---

**ADD: 18351 COLIMA ROAD STE 2896 ROWLAND HEIGHTS CA 91748**

**LANDSPIDER** 

**PCR TIRES**

**CATALOGUE 2022**



**MADE IN THAILAND**





# INTRODUCTION

LANDSPIDER TIRE INC., headquartered in California, is a tire company focusing on the American market. LANDSPIDER TIRE develops products on the basis of the needs of the American market and customers. Since the establishment of the company, we insist on providing the products of high-quality for the market and the best service for customers. After several years of operation, Our dealers almost cover all the states of the US, Landspider has become one of the most professional tire suppliers in the US market.

Why choose LandSpider?

- Specifically for the American market  
Landspider was developed specifically for the US market to meet almost all needs of customers.
- Constantly updated product line  
In order to meet the changing market needs, Landspider updates and improves the product series on the basis of the market and customer feedback every year. Furthermore, we could customize exclusive products for customers.
- 4.0 smart plant industry  
Advanced industrial 4.0 production ensures high-quality products.
- Excellent after-sales service  
LANDSPIDER TIRE INC. has strong after-sales team with professional technical personnel. We train and assess the after-sales team regularly to help customers solve the problems in a timely manner.



# PRODUCT



01

**CITYTRAXX G/P**



03

**CITYTRAXX H/P**



05

**CITYTRAXX H/T**



07

**WILDTRAXX A/T**



09

**WILDTRAXX R/T**



11


**WILDTRAXX M/T**



# CITYTRAXX G/P UTQG:560 A A


Sizes Description	Sidewall Description	Tread Depth	
		MM	1/32"
185/60R15 84H	BSW	7.4	9.3
185/65R15 88H	BSW	7.4	9.3
195/55R15 85V	BSW	7.4	9.3
195/60R15 88H	BSW	7.4	9.3
195/65R15 91H	BSW	7.4	9.3
205/65R15 94H	BSW	7.8	9.8
205/70R15 96H	BSW	7.8	9.8
215/65R15 96H	BSW	7.8	9.8
215/70R15 98H	BSW	7.8	9.8
225/70R15 100H	BSW	7.8	9.8
195/55R16 87V	BSW	7.4	9.3
205/55R16 91V	BSW	7.4	9.3
205/60R16 92V	BSW	7.4	9.3
205/65R16 95H	BSW	7.8	9.8
215/55R16 97VXL	BSW	7.4	9.3
215/60R16 95V	BSW	7.8	9.8
215/65R16 98H	BSW	7.8	9.8
225/55R16 99VXL	BSW	7.4	9.3
225/60R16 98H	BSW	7.8	9.8
225/65R16 100H	BSW	7.8	9.8

## PERFORMANCE TEST






With the optimized pitch-alignment by simulation, the noise band is tended to be evenly dispersed into a wider frequency range for a quieter driving.



High siping density design increases braking and wet grip performance; Interlocking grooves and sipes design prevents warping effect while braking, provides even distribution on the pressure against road.



Four main longitudinal grooves combined with high density lateral sipes improves water evacuation for excellent resistance to hydroplaning.




Stimulation optimization produces impressive traction in dry condition along with extreme wet grip performance.




# CITYTRAXX H/P LTQG:420 A A

Sizes Description	Sidewall Description	Tread Depth MM	1/32"	Sizes Description	Sidewall Description	Tread Depth MM	1/32"
215/45ZR17 91WXL	BSW	7.4	9.3	225/35ZR20 93WXL	BSW	7.4	9.3
215/50ZR17 95WXL	BSW	7.4	9.3	245/35ZR20 95WXL	BSW	7.4	9.3
215/55ZR17 98WXL	BSW	7.4	9.3	245/40ZR20 99WXL	BSW	7.4	9.3
225/45ZR17 94WXL	BSW	7.4	9.3	245/45ZR20 103WXL	BSW	7.4	9.3
225/50ZR17 98WXL	BSW	7.4	9.3	245/50ZR20 105WXL	BSW	7.4	9.3
225/55ZR17 101WXL	BSW	7.4	9.3	255/35ZR20 97WXL	BSW	7.6	9.5
235/45ZR17 97WXL	BSW	7.4	9.3	255/40ZR20 101WXL	BSW	7.6	9.5
235/50ZR17 100WXL	BSW	7.4	9.3	255/45ZR20 105WXL	BSW	7.6	9.5
235/55ZR17 103WXL	BSW	7.4	9.3	255/50ZR20 109WXL	BSW	7.6	9.5
245/45ZR17 99WXL	BSW	7.4	9.3	255/55ZR20 110WXL	BSW	7.6	9.5
225/40ZR18 92WXL	BSW	7.4	9.3	265/50ZR20 111WXL	BSW	7.6	9.5
225/45ZR18 95WXL	BSW	7.4	9.3	275/30ZR20 97WXL	BSW	7.6	9.5
225/50ZR18 99WXL	BSW	7.4	9.3	275/35ZR20 102WXL	BSW	7.6	9.5
225/55ZR18 102WXL	BSW	7.4	9.3	275/40ZR20 106WXL	BSW	7.6	9.5
235/40ZR18 95WXL	BSW	7.4	9.3	275/45ZR20 110WXL	BSW	7.6	9.5
235/45ZR18 98WXL	BSW	7.4	9.3	315/35ZR20 110WXL	BSW	7.8	9.8
235/50ZR18 101WXL	BSW	7.4	9.3	245/30ZR22 92WXL	BSW	7.8	9.8
235/55ZR18 104WXL	BSW	7.4	9.3	255/30ZR22 95WXL	BSW	7.8	9.8
245/40ZR18 97WXL	BSW	7.4	9.3	265/35ZR22 102WXL	BSW	7.8	9.8
245/45ZR18 100WXL	BSW	7.4	9.3	265/40ZR22 106WXL	BSW	7.8	9.8
255/40ZR18 99WXL	BSW	7.6	9.5	285/40ZR22 110WXL	BSW	7.8	9.8
255/45ZR18 103WXL	BSW	7.6	9.5	285/45ZR22 114WXL	BSW	7.8	9.8
225/55ZR19 103WXL	BSW	7.4	9.3	305/40ZR22 114WXL	BSW	7.8	9.8
235/40ZR19 96WXL	BSW	7.4	9.3	305/45ZR22 118WXL	BSW	7.8	9.8
235/55ZR19 105WXL	BSW	7.4	9.3	255/30ZR24 97WXL	BSW	7.8	9.8
245/40ZR19 98WXL	BSW	7.4	9.3	275/25ZR24 96WXL	BSW	7.8	9.8
245/45ZR19 102WXL	BSW	7.4	9.3	295/35ZR24 110WXL	BSW	7.8	9.8
245/55ZR19 107WXL	BSW	7.4	9.3	305/35ZR24 112WXL	BSW	7.8	9.8
255/50ZR19 107WXL	BSW	7.6	9.5	295/30ZR26 107WXL	BSW	7.8	9.8
255/55ZR19 111WXL	BSW	7.6	9.5	305/30ZR26 109WXL	BSW	7.8	9.8
265/50ZR19 110WXL	BSW	7.6	9.5				

## PERFORMANCE TEST






Asymmetric pattern design provides water evacuation ability for the inner side, while the big blocks for the outer side produce precise steering with impressive cornering stability.



With the optimized pitch-alignment by simulation, the noise band is tended to be evenly dispersed into a wider frequency range for a quieter driving.



High density sipe design provides more road contact with improved braking capability and wet grip; Zigzag sipe design provides comfort and stable ride experience.



Strong outer shoulder with chamfered tread blocks reduces distortion in the tread when cornering in high speed; with stimulation optimized tread stiffness, it produces more steering precision and stability in high speed.






# CITYTRAXX H/T

LTQG:480 A A

Sizes Description	Sidewall Description	Tread Depth MM	1/32"
215/70R16 100H	BSW	8.2	10.3
225/70R16 107HXL	BSW	8.2	10.3
235/60R16 100H	BSW	8.2	10.3
235/65R16 107HXL	BSW	8.2	10.3
235/70R16 106H	BSW	8.2	10.3
245/70R16 111HXL	BSW	8.2	10.3
255/70R16 111H	BSW	8.2	10.3
265/70R16 112H	BSW	8.2	10.3
215/65R17 99H	BSW	8.2	10.3
225/60R17 99H	BSW	8.2	10.3
225/65R17 102H	BSW	8.2	10.3
235/65R17 108HXL	BSW	8.2	10.3
245/65R17 111HXL	BSW	8.2	10.3
245/70R17 110H	BSW	8.2	10.3
255/65R17 110H	BSW	8.2	10.3
265/65R17 112H	BSW	8.2	10.3
265/70R17 115H	BSW	8.2	10.3
275/65R17 115H	BSW	8.2	10.3
225/60R18 100H	BSW	8.2	10.3
235/60R18 107HXL	BSW	8.2	10.3
235/65R18 110HXL	BSW	8.2	10.3
245/60R18 105H	BSW	8.2	10.3
255/55R18 109HXL	BSW	8.2	10.3


Sizes Description	Sidewall Description	Tread Depth MM	1/32"
255/60R18 112HXL	BSW	8.2	10.3
265/60R18 110H	BSW	8.2	10.3
265/65R18 114H	BSW	8.2	10.3
265/70R18 116H	BSW	8.2	10.3
275/65R18 116H	BSW	8.2	10.3
275/55R20 117HXL	BSW	8.2	10.3
275/60R20 119HXL	BSW	8.2	10.3
LT225/75R16 E 115/112S	BSW	9.7	12.2
235/65R16C E 122/119R	BSW	9.7	12.2
LT235/85R16 E 120/116S	BSW	9.7	12.2
LT245/75R16 E 120/116S	BSW	9.7	12.2
LT265/75R16 E 123/120S	BSW	9.7	12.2
LT235/80R17 E 120/117S	BSW	9.7	12.2
LT245/70R17 E 119/116S	BSW	9.7	12.2
LT245/75R17 E 121/118S	BSW	9.7	12.2
LT265/70R17 E 121/118S	BSW	9.7	12.2
LT275/65R18 E 123/120S	BSW	9.7	12.2
LT275/70R18 E 125/122S	BSW	9.7	12.2

## PERFORMANCE TEST





Multi-pitch optimized combination design allows an even dispersing of the noise into a wider frequency range, which produces a more quiet and comfortable ride experience.



High density sipe design provides more road contact with improved braking capability and wet grip; Interlocking grooves and sipes design prevents warping effects while braking, effectively shorten braking distance.



Bionic claw-shape design provides extra grip on mud and loose soil; the thick sidewall shield and specialized compound helps guard against sharp objects from any angle approaching.



With stronger shoulder with chamfered tread blocks, it reduces distortion when cornering in high speed, while produces more steering precision and stability in high speed.





# WILDTRAXX A/T UTQG: 520 A B

Sizes Description	Sidewall Description	Tread Depth	
		MM	1/32"
P235/70R16 106T	RWL	8.5	10.7
P245/70R16 111TXL	RWL	10.0	12.5
P245/75R16 111T	RWL	10.0	12.5
P255/70R16 111T	RWL	10.0	12.5
P265/70R16 112T	RWL	8.5	10.7
P275/70R16 114T	RWL	8.5	10.7
P245/65R17 111TXL	RWL	10.0	12.5
P245/70R17 110T	RWL	10.0	12.5
P265/65R17 112T	RWL	8.5	10.7
P265/70R17 115T	RWL	10.0	12.5
P275/65R17 115T	RWL	8.5	10.7
P285/65R17 116T	RWL	8.5	10.7
P265/60R18 114TXL	RWL	10.0	12.5
P265/65R18 114T	RWL	10.0	12.5
P265/70R18 116T	RWL	10.0	12.5
P275/65R18 116T	RWL	10.0	12.5
P275/55R20 117TXL	RWL	10.0	12.5
P275/60R20 119TXL	RWL	10.0	12.5


Sizes Description	Sidewall Description	Tread Depth	
		MM	1/32"
31X10.50R15LT C 109S	RWL	12.3	15.4
33X12.50R15LT C 108S	RWL	12.3	15.4
35X12.50R15LT C 113R	RWL	12.3	15.4
LT235/75R15 C 104/101S	RWL	12.3	15.4
LT235/85R16 E 120/116S	RWL	12.3	15.4
LT245/75R16 E 120/116S	RWL	12.3	15.4
LT265/75R16 E 123/120S	RWL	12.3	15.4
LT285/75R16 E 126/123S	RWL	12.3	15.4
LT305/70R16 E 124/121S	RWL	12.3	15.4
LT315/75R16 E 127/124S	RWL	12.3	15.4
LT235/80R17 E 120/117S	RWL	12.3	15.4
LT245/75R17 E 121/118S	RWL	12.3	15.4
LT265/70R17 E 121/118S	RWL	12.3	15.4
LT285/70R17 E 121/118S	RWL	12.3	15.4
LT265/70R18 E 124/121S	RWL	12.3	15.4
LT275/65R18 E 123/120S	RWL	12.3	15.4
LT275/70R18 E 125/122S	RWL	12.3	15.4
LT285/65R18 E 125/122S	RWL	12.3	15.4
LT265/60R20 E 121/118S	RWL	12.3	15.4
LT275/55R20 E 120/117S	RWL	12.3	15.4
LT275/60R20 E 123/120S	RWL	12.3	15.4
LT275/65R20 E 126/123S	RWL	12.3	15.4
LT285/65R20 E 127/124S	RWL	12.3	15.4
LT305/55R20 E 121/118S	RWL	12.3	15.4

## PERFORMANCE TEST






Large tread blocks with biting edge provides traction in a variety of conditions. Multi-directional grooves and sipes design creates better traction in any direction.




High density sipes design produces a better performance on water evacuation and constant grip with better traction



The strengthening bar design control system produces better handling performance with long treadwear life.



Bionic claw-shape design provides extra grip on mud and loose soil; the thick sidewall shield and specialized compound helps guard against sharp objects from any angle approaching.




LOTTRAXX A/T




# WILDTRAXX R/T

Sizes Description	Sidewall Description	Tread Depth	
		MM	1/32"
LT305/65R17 E 121/118S	BSW	13.1	16.5
LT315/70R17 E 121/118S	BSW	13.1	16.5
LT305/60R18 E 121/118S	BSW	13.1	16.5
LT325/65R18 E 127/124S	BSW	13.1	16.5
LT275/55R20 E 120/117S	BSW	13.1	16.5
LT285/55R20 E 122/119S	BSW	13.1	16.5
33X12.50R20LT E 123R	BSW	13.1	16.5
35X12.50R20LT E 126R	BSW	13.1	16.5
33X12.50R22LT E 123R	BSW	13.1	16.5
35X12.50R22LT E 126R	BSW	13.1	16.5
35X12.50R24LT E 126R	BSW	13.1	16.5
37X13.50R24LT E 129R	BSW	13.1	16.5

## PERFORMANCE TEST






Open type pattern provides a quiet and smooth ride on the highway, the Ridge Grappler's alternating grooves and biting edges offer drivers added traction.



The high void ratio between the tread blocks efficiently clears mud and dirt from the tread, provides excellent traction in extreme terrain.



Angled, lateral voids were engineered to channel away stones and provide forward stability in dry conditions.



Strong shoulder design provides additional off-road grip and protects the sidewall by bouncing protruding objects. Helps prevent sidewall splitting.

LOTTRAXX R/T


LANDSPIDER



# WILDTRAXX M/T


Sizes Description	Sidewall Description	Tread Depth	
		MM	1/32"
LT245/75R16 E 120/116Q	RBL	15.0	18.8
LT265/75R16 E 123/120Q	RBL	15.0	18.8
LT285/75R16 E 126/123Q	RBL	15.0	18.8
LT315/75R16 E 127/124Q	RBL	15.0	18.8
LT265/70R17 E 121/118Q	RBL	15.0	18.8
LT285/70R17 E 121/118Q	RBL	15.0	18.8
LT275/65R18 E 123/120Q	RBL	15.0	18.8
LT285/65R18 E 125/122Q	RBL	15.0	18.8
LT275/65R20 E 126/123Q	RBL	15.0	18.8
LT285/65R20 E 127/124Q	RBL	15.0	18.8
31X10.50R15LT C 109Q	RBL	15.0	18.8
33X12.50R15LT C 108Q	RBL	15.0	18.8
33X12.50R17LT E 120Q	RBL	15.0	18.8
35X12.50R17LT E 125Q	RBL	15.0	18.8
33X12.50R18LT E 118Q	RBL	15.0	18.8
35X12.50R18LT E 123Q	RBL	15.0	18.8
33X12.50R20LT E 114Q	RBL	15.0	18.8
35X12.50R20LT E 121Q	RBL	15.0	18.8
37X13.50R20LT E 127Q	RBL	15.0	18.8
40X15.50R20LT E 130Q	RBL	15.0	18.8
33X12.50R22LT E 109Q	RBL	15.0	18.8
35X12.50R22LT E 117Q	RBL	15.0	18.8
37X13.50R22LT E 123Q	RBL	15.0	18.8
40X15.50R22LT E 128Q	RBL	15.0	18.8
33X12.50R24LT E 104Q	RBL	15.0	18.8
35X12.50R24LT E 114Q	RBL	15.0	18.8
37X13.50R24LT E 120Q	RBL	15.0	18.8
40X15.50R24LT E 128Q	RBL	15.0	18.8

## PERFORMANCE TEST






The bold aggressive design with large tread blocks provides more contact area, the block-chain control system produces better handling performance with quiet and comfortable ride experience.



Highly angled center tread blocks enhance traction and lateral stability while reducing road noise.



Self-cleaning grooves design ensures good aquaplaning resistance and reducing tire damage by hindering stones from getting caught.



With alternating convex and concave sipes on the tread blocks and bionic claw-shape design, it provides extra grip on mud and loose soil; the thick sidewall shield and specialized compound helps guard against any sharp objects.